



The Drug-Free Schools and Communities Act Amendments of 1989, Public Law 101-226, require that, as a condition of receiving funds or any other form of financial assistance under any federal program, an institution of higher education must certify that it has adopted and implemented a program to prevent the unlawful possession, use or distribution of illicit drugs and alcohol by students and employees. This document was prepared and distributed in compliance with Title 34 of the Code of Federal Regulations Part 86.

STANDARDS OF CONDUCT

The unlawful manufacture, distribution, dispensation, possession, use or sale of alcohol, illegal drugs or controlled substances by University employees or students in the workplace, in classrooms, on University premises at official University functions, on University business, in University vehicles, or related to any University-sponsored activity is prohibited. In addition, employees and students shall not use alcohol or illegal substances or abuse legal substances in a manner that impairs work performance, scholarly activities or student life. Conduct involving prescription drugs, which have not been prescribed by a physician to the person using or in possession of them, will be treated as a violation of this policy.

The University reserves the right to inspect the workplace for alcohol, controlled substances, illegal drugs or paraphernalia relating to alcohol, controlled substances or illegal drugs, and to question any employee when it reasonably suspects that this policy or any procedure under this policy has been violated.

All traditional freshmen, sophomores and other students under the age of 21 are prohibited from the possession and consumption of alcohol. All students are prohibited from the use and possession of illegal drugs. In addition, student organizations sponsoring events where alcohol is present are subject to the additional requirements and guidelines of the University's social events policy and registration form.

DISCIPLINARY SANCTIONS

VIOLATIONS BY EMPLOYEES

Employees found to be in violation of this policy, including student employees, if the circumstances warrant, may be subject to corrective action up to and including dismissal under applicable University policies, or may be required, at the discretion of the University, to obtain an assessment or evaluation to determine whether the employee may have a substance or alcohol abuse issue, and/or may be reported to authorities for criminal prosecution or other appropriate action. The University may

SCHEDULE III AND IV SUBSTANCES

MISCELLANEOUS (Paraphernalia, License Suspensions, Drug Tax Stamps, etc.)

Second and subsequent offenses double first offense penalties.

**Impoundment, Immobilization and Installation of
Interlock System: MCA 67-11-31**

Changes in DUI Sentencing Requirements Effective July 1, 2014


(2) (b) A



Mothers who drink during pregnancy may give birth to infants with Fetal Alcohol Syndrome (FAS) or other alcohol-related birth defects. Drinking by the mother during pregnancy places the unborn child at risk, affecting the child's development. Conditions seen in FAS children include (1) mental retardation, (2) a pattern of abnormal facial and body features, and (3) central nervous system abnormalities. Not all infants born to women who drink exhibit abnormal development. "Safe" levels of alcohol use during pregnancy have not been established, and it is currently recommended that pregnant women abstain.

DRUGS

Llm0(t816e (e)-5.5 ((or)-25.5 o)3.7 p0)-11.4)-3(n)-1.1 fvtuSenb.t0(S)- (A)-27.2 .3s18l -10.7 (o)-5 (d b)-12. Tj T(h)0.5 (o)M c (l u)-13. (4 (a)1x3s



Federal Trafficking Penalties for Schedules I, II, III, IV and V (Except Marijuana)

SCHEDULE	SUBSTANCE/QUANTITY	PENALTY	SUBSTANCE/QUANTITY	PENALTY
II	Cocaine 500-4,000 grams	Fast O... NT... 10... 5... 40	Cocaine 500-4,000 grams	Fast O... NT... 10... 5... 20
II	Cocaine Base 2-20 grams	Fast O... NT... 20... 2... \$5	Cocaine Base 2-20 grams	Fast O... NT... 20... 2... \$10
II	Fentanyl 40-300 grams	Fast O... NT... 20... 40... \$25	Fentanyl 40-300 grams	Fast O... NT... 20... 40... \$50
I	Fentanyl A 10-100 grams	Fast O... NT... 10... 10... \$10	Fentanyl A 10-100 grams	Fast O... NT... 10... 10... \$20
I	Heroin 100-1,000 grams	Fast O... NT... 10... 100... \$10	Heroin 100-1,000 grams	Fast O... NT... 10... 100... \$20
I	LSD 1-10 grams	Fast O... NT... 10... 1... \$50	LSD 1-10 grams	Fast O... NT... 10... 1... \$5
II	Marijuana 5-4,000 grams 50-4,000 (1) (2) (3) (4)	(1) (2) (3) (4) (5) (6) (7) (8) (9) (10) (11) (12) (13) (14) (15) (16) (17) (18) (19) (20) (21) (22) (23) (24) (25) (26) (27) (28) (29) (30) (31) (32) (33) (34) (35) (36) (37) (38) (39) (40) (41) (42) (43) (44) (45) (46) (47) (48) (49) (50) (51) (52) (53) (54) (55) (56) (57) (58) (59) (60) (61) (62) (63) (64) (65) (66) (67) (68) (69) (70) (71) (72) (73) (74) (75) (76) (77) (78) (79) (80) (81) (82) (83) (84) (85) (86) (87) (88) (89) (90) (91) (92) (93) (94) (95) (96) (97) (98) (99) (100)	Marijuana 5-4,000 grams 50-4,000 (1) (2) (3) (4)	(1) (2) (3) (4) (5) (6) (7) (8) (9) (10) (11) (12) (13) (14) (15) (16) (17) (18) (19) (20) (21) (22) (23) (24) (25) (26) (27) (28) (29) (30) (31) (32) (33) (34) (35) (36) (37) (38) (39) (40) (41) (42) (43) (44) (45) (46) (47) (48) (49) (50) (51) (52) (53) (54) (55) (56) (57) (58) (59) (60) (61) (62) (63) (64) (65) (66) (67) (68) (69) (70) (71) (72) (73) (74) (75) (76) (77) (78) (79) (80) (81) (82) (83) (84) (85) (86) (87) (88) (89) (90) (91) (92) (93) (94) (95) (96) (97) (98) (99) (100)

Drug/CSA Schedule	Trade or Other Names	Risk of Dependence	Tolerance	Duration (hours)	Effects of Overdose	Withdrawal Syndrome
NARCOTICS						
Morphine / II III	Morphine, Meperidine, Fentanyl	High	Yes	3	Respiratory depression, hypotension, coma, death	Anxiety, irritability, sweating, nausea, vomiting, diarrhea, muscle aches, insomnia
Oxycodone / II III	Oxycodone, Oxycodone HCl, Etoricoxib, A-C, Fentanyl	Medium-High	Yes	3		
Hydrocodone / I	Dihydrocodeine, Hydrocodone	High	Yes	3		
Morphine (Pentacodone) / II	Dihydrocodeine, Morphine	High	Yes	3		
Oxycodone Naloxone / II III	Naloxone, Oxycodone, Pentacodone, Fentanyl, Dihydrocodeine	High-Low	Yes	3-4		
DEPRESSANTS						
Benzodiazepines / II III	Alprazolam, Bupropion, Fluoxetine, Lorazepam, Prazepam, Temazepam	High-Medium	Yes	1-1	Respiratory depression, hypotension, coma, death	Anxiety, irritability, sweating, nausea, vomiting, diarrhea, muscle aches, insomnia
Bartolomew / I	Alprazolam, Diazepam, Lorazepam, Haloperidol, Prazepam	High	Yes	4		
Methamphetamine / I	Quinine	High	Yes	4		
Alcohol / III	Ethanol, Methamphetamine, Prazepam	Medium-High	Yes	4		
STIMULANTS						
Cocaine / II	Cocaine, Fentanyl, G	High	Yes	1-2	Anxiety, irritability, sweating, nausea, vomiting, diarrhea, muscle aches, insomnia	Anxiety, irritability, sweating, nausea, vomiting, diarrhea, muscle aches, insomnia
Methamphetamine / II	Amphetamine	Medium-High	Yes	2-4		
Amphetamine / III	Amphetamine, Cocaine, Dihydrocodeine, Methamphetamine, Prazepam, Ritalin-2	High	Yes	2-4		
HALLUCINOGENS						
LSD / I	Alprazolam, Methamphetamine	High	Yes	12	Respiratory depression, hypotension, coma, death	Anxiety, irritability, sweating, nausea, vomiting, diarrhea, muscle aches, insomnia
Mescaline / P / I	Mescaline, Bupropion, Cocaine	High	Yes	12		
Amphetamine / I	2,5-DMA, PMA, P, MDA, MDMA, MA, DOM, DOB	High	Yes	12		
Phencyclidine / I	PCP, Amphetamine, Dihydrocodeine, Hydrocodone	High	Yes	12		
Alcohol / I	Bartolomew, DM, DE, Bupropion, Prazepam	High	Yes	12		